



NHS Liverpool CCG

The Musculoskeletal (MSK) Calculator is a prevalence modelling tool. Data on the burden of MSK conditions are lacking and for the first time this prevalence model provides estimates of the burden of MSK conditions to local areas. These prevalence estimates should be used to inform joint strategic needs assessments, service planning and prioritisation in local areas.

The table below shows the percentage of people with osteoarthritis (hip/knee), back pain and rheumatoid arthritis in your area compared to the national average.

Name	Population	No.of Cases	National average
Back Pain	471,309	78,895 (16.7%)	16.9%
Back Pain (severe)	471,309	48,927 (10.4%)	10.2%
Hip OA	187,364	21,112 (11.3%)	10.9%
Hip OA (severe)	187,364	6,338 (3.4%)	3.2%
Knee OA	187,364	35,711 (19.1%)	18.2%
Knee OA (severe)	187,364	12,752 (6.8%)	6.1%
RA	426,390	3,241 (0.76%)	0.83%

Visit <u>www.arthritisresearchuk.org/public-health-bulletins</u> for a more detailed public health bulletin on your local authority (England only).

Notes: Knee/hip osteoarthritis (OA) - total population includes those aged 45 years and over (based on mid-2012 ONS population estimates). Severe osteoarthritis

refers to the number of OA cases that require special attention, and additional resources, from healthcare providers and commissioners.

Back pain - total population includes all age ranges (based on mid-2012 ONS population estimates). Severe back pain refers to the number of back pain cases that are reported as severe (i.e. reporting a high intensity of pain or severe limitation as a result of their pain).

Rheumatoid arthritis (RA) - total population includes those aged over 16 years only (based on mid-2015 population estimates).

Please visit our <u>FAQs</u> page for more details.